

OCTOBER 2017

A publication of Texas Children's Health Plan

#### In this ISSUE

- 2 Nine months and counting
- 3 Get the care you need
- 4 Do I need medical help?
- 5 Is it a cold or the flu?
- 6 A healthy start to the day

Events listed on back cover. CM-0917-314

## Do you have a Postpartum Plan

A postpartum plan can help parents adjust to life with a new baby by identifying resources before they're needed. Key aspects include:

- Rest. Finding help during the day and night following the birth of a baby is important. Prepare a list of names and contact information of people available to help you during these times.
- Nutrition. Plan to have meals prepared and/or delivered for the first weeks after the baby arrives.
- Support for older siblings. Find people who will be able to spend quality time with older children as well as drive them to school, daycare, and activities.

Visit www.texaschildrenshealthplan.org/starbabies/postpartum

Texas Children's Health Plan P.O. Box 301011 Houston, TX 77230-1011



NONPROFIT ORG. U.S. POSTAGE PERMIT NO. 1167 XT , HOUSTON, TX



## Get the care you need

We want our expecting moms to have a great pregnancy. And that means it's important for you to go to the doctor. After all, a healthy mom and a happy baby begin with quality prenatal care!

Don't wait. Get seen right away. As soon as you think you're pregnant, you should schedule your first prenatal visit. Your OB/GYN will want to see you in your first trimester or within 42 days of joining Texas Children's Health Plan.

Don't forget about your postpartum checkup. It is also important for you to go for a postpartum checkup after having your baby. Your OB/GYN MUST see you within 3 to 6 weeks after delivery. To sign your newborn up for Medicaid, call 2-1-1 and report the birth of your child to Health and Human Services Commission or visit yourtexasbenefits.com.

Cervical Cancer Screening. Routine pap smears are a key to the prevention and early detection of cervical cancer. Women ages 21–29 years should be tested every 3 years. For women ages 30–65, a pap smear with testing for human papillomavirus (HPV) every 5 years is preferred but screening with just a pap smear every 3 years is OK. Plan a visit with your doctor or local community clinic.

Mammography. Women are encouraged to talk with their doctor about screening for breast cancer with a mammogram. The American College of Obstetricians and Gynecologists recommends annual mammograms beginning at age 40. Early detection can lead to improved outcomes in women diagnosed with breast cancer. Plan a visit with your doctor or local community clinic.

For help finding a doctor visit TexasChildrensHealthPlan.org under "Find a Doctor" or call Member Services at 1-866-959-2555 (STAR). For help scheduling an appointment, you can call Member Services, email us at HealthPlan@texaschildrens.org, or we can offer a 3-way call with you and the provider.




## Do I need medical help?

Most colds don't cause problems for unborn babies, but the flu should be taken more seriously. Flu complications increase the risk of premature delivery and birth defects. Get medical help right away if you have the following symptoms:

- Dizziness
- Difficulty breathing
- Chest pain or pressure
- Confusion
- Vaginal bleeding
- Severe vomiting
- High fever that isn't lowered by acetaminophen (Tylenol)
- Your baby's movements slow down

The Centers for Disease Control (CDC) recommends





## Is it a cold or the flu?

It's the time of the year for colds and flu. But do you know the difference? Here are some ways to tell.


# Arm yourself against the flu

#### COLD

- Slow onset of symptoms.
- No or mild fever.
- Mild tiredness.
- Normal appetite.
- Muscles are not achy.
- No chills.
- No headache.

#### FLU

- Sudden onset of symptoms.
- High fever.
- Severe tiredness.
- Lower than normal appetite.
- Muscles are achy.
- Chills.
- Headache.





## Blueberry Almond Chia Pudding

Switch up your morning oatmeal routine with this so-easy chia pudding recipe. It's made just like overnight oats—combine chia and your milk of choice, let soak overnight, then top with juicy blueberries and crunchy almonds and dig in!

#### Ingredients:

½ cup unsweetened almond milk or other nondairy milk beverage

- 2 tablespoons chia seeds
- 2 teaspoons pure maple syrup
- ½ teaspoon almond extract
- ½ cup fresh blueberries, divided
- 1 tablespoon toasted slivered almonds, divided

#### Instructions:

Step 1: Stir together almond milk (or other nondairy milk beverage), chia, maple syrup and almond extract in a small bowl. Cover and refrigerate for at least 8 hours and up to 3 days.

Step 2: When ready to serve, stir the pudding well. Spoon about half the pudding into a serving glass (or bowl) and top with half the blueberries and almonds. Add the rest of the pudding and top with the remaining blueberries and almonds.

To make ahead: Refrigerate pudding (Step 1) for up to 3 days.

Finish with Step 2 just before serving.

Source: eatingwell.com



### **Nurse Help Line**

Call our **Nurse Help Line** 24 hours a day, 7 days a week at 1-800-686-3831

to speak with a registered nurse.

Call Member Services at 1-866-959-2555 (STAR) midwife, or OB/GYN.



is published monthly by Texas Children's Health Plan.

Send comments to:

**Star Babies** Texas Children's Health Plan PO Box 301011 Houston, TX 77230-1011

> Director, Marketing Cristina Garcia Gamboa

> > Editor Sara Ledezma

Layout designer **Scott Redding** 

©2017 Texas Children's Health Plan. All rights reserved.

PO Box 301011 Houston, Texas 77230-1011 10/2017





