HEDIS® Quick Reference

Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics



Antipsychotic medications are often prescribed for nonpsychotic conditions for which psychosocial interventions are considered first-line treatment.

Appropriate, first-line psychosocial interventions may be underutilized, and children and adolescents may unnecessarily incur the risks associated with antipsychotic medications.

Measure Description

The percentage of children and adolescents I-I7 years of age who had a new prescription for an antipsychotic medication and had documentation of psychosocial care as first-line treatment.

Documentation of psychosocial care in the 121-day period from 90 days prior to the earliest prescription start date through 30 days after.

Qualifying Medications

Antipsychotic Medications

Description	Prescription
Miscellaneous Antipsychotic Agents	Aripiprazole, Asenapine, Brexpiprazole, Cariprazine, Clozapine, Iloperidone, Loxapine, Lurasidone, Molindone, Olanzapine, Haloperidol, Paliperidone, Pimozide, Quetiapine, Risperidone, Ziprasidone
Long-acting injections	Aripiprazole, Fluphenazine decanoate, Haloperidol decanoate, Olanzapine, Paliperidone palmitate, Risperidone
Phenothiazine Antipsychotics	Chlorpromazine, Fluphenazine, Perphenazine, Thioridazine, Trifluoperazine
Thioxanthenes	Thiothixene

Antipsychotic Combination Medications

Description	Prescription
Psychotherapeutic	Perphenazine-amitriptyline, Fluoxetine-olanzapine
combinations	

Psychosocial Visit Codes

Code system	Code		Code system	Code			
СРТ	90832 90833 90834 90836 90837 90838 90839	90845 90846 90847 90849 90853 90875 90876	HCPCS	G0176 G0177 G0409 G0410 G0411 H0004 H0035	H0037 H0038 H0039 H0040 H2000 H2001 H2011	H2013 H2014 H2017 H2018 H2019 H2020 S0201	S9484 S9485
	90839 90840	90876 90880		H0035 H0036	H2011 H2012	S0201 S9480	