

Asthma Quick Guide

CHIP 866-959-6555 STAR 866-959-2555 STAR Kids 800-659-5764 texaschildrenshealthplan.org

MK-2008-098

Table of Contents

What is Asthma?	I
Types of Inhalers - Long-Term Control	2
Types of Inhalers - Combination	3
Types of Inhalers - Quick Relief	4
How to Use Your Inhaler Correctly	5
What Can Cause an Asthma Attack?	6
Know the Symptoms of an Asthma Attack	7
Tips to Stick to Your Treatment Plan	8
Goals of Asthma Care	9
Helpful Resources	10

Texas Children's Health Plan complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex.

All medication brands with a registered mark are the property of their respective owners.

ATENCIÓN: Si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-866-959-2555 (TTY: 711). CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1-866-959-2555 (TTY: 711).


 $\ensuremath{\textcircled{O}}$ 2023 Texas Children's Health Plan. All rights reserved. 03/23 MK-2008-098

What is Asthma?

Asthma is a disease that makes it harder to breathe. This happens because airways in the lungs get swollen, inflamed, smaller and/ or filled with mucus.


When your asthma is not in control:

- The muscles around your breathing tubes are squeezing the space air can pass through.
- The linings of your breathing tubes are inflamed.
- Extra mucus blocks your breathing tubes.



When your asthma is in control:

- The muscles around your breathing tubes are relaxed.
- The linings of your breathing tubes are not inflamed.
- Your breathing tubes are open for air to pass through.



There is no cure for asthma. You can control asthma and live a normal, healthy life.

Types of Inhalers Long-Term Control (Inhaled Corticosteroids)

This is your long-term "controller" medication. It stops asthma attacks before they happen! Use it every day to keep your airways healthy, even if you don't have symptoms.

QVAR Redihaler®

beclomethasone diproprionate 40 mcg or 80 mcg



Alvesco®

Alvesco Ciclesonide Inhalation Aerosol Met Cortexts 615 Strucce

ciclesonide 80 mcg or 160 mcg

Asmanex[®] HFA mometasone furoate 100 mcg or 200 mcg



Asmanex[®] Twisthaler

mometasone furoate 110 mcg or 220 mcg



Pulmicort Flexhaler®

budesonide 90 mcg or 180 mcg





Arnuity Ellipta[®]

fluticasone furoate 50 mcg, 100 mcg or 200 mcg



Flovent HFA®

fluticasone proprionate 44 mcg, 110 mcg or 220 mcg



fluticasone proprionate

Flovent Diskus[®]

Talk to your doctor to make sure you know which inhaler is your controller medication and if it's covered by your insurance. The inhaler you get may look different from what is pictured here as many have generic versions

Types of Inhalers Combination (Inhaled Corticosteroids + Long-Acting Beta-Agonists)

Combination inhalers for asthma contain two different types of medication. They are also used as "controller" inhalers. Use them every day, even if you don't feel sick.



Talk to your doctor to make sure you know which inhaler is your controller medication and if it's covered by your insurance. Some controller medications can be used as both controller and rescue medication. The inhaler you get may look different from what is pictured here as many have generic versions.

Types of Inhalers Quick-Relief (Short-Acting Beta-Agonists)

Short-acting beta-agonists or SABAs are used as "rescue" inhalers. Use these for fast relief of symptoms like coughing, wheezing, or shortness of breath. Have this inhaler with you at all times!



is pictured here as many have generic versions.

How to Use Your Inhaler Correctly

TOP 6 DO'S



Use a spacer with your inhaler. Stand or sit up straight when you inhale.

Hold your breath for 10 seconds after you breathe in. Or, if using spacer with mask, take 6 to 8 breaths in and out through the spacer device.

After using your controller, rinse mouth with water and spit out.

Label your inhalers as "controller" or "quick-relief".

Have an Asthma Action Plan ready.

Ask your doctor if you are unsure about anything.

DONT'S

X Do not blow into the inhaler or spacer.

X Do not put water into your inhaler to clean it.


Do not inhale through your nose when using an inhaler via mouthpiece.*

*Note: When used with a mask, most infants/toddlers will inhale via their nose.

What Can Cause an Asthma Attack?

Allergens

These are only a problem if you are allergic to them.



Irritants

These are problems for everyone with asthma.





Strong-Smelling Chemicals



Talk to your doctor about other triggers that may affect your asthma.

Know the Symptoms of an **Asthma Attack**

What could an asthma attack feel like?

- Chest tightness or pain.
- Coughing or wheezing.
- Shortness of breath.



What are signs your asthma is not controlled?

- You have symptoms more than two days per week.
- Your asthma wakes you up more than two nights per month.
- You have to refill your quick-relief inhaler more than twice per year.
- You often go to the ER for asthma attacks.

If you are having frequent mild symptoms, the chance of a severe attack is higher.

When should you seek emergency treatment?

- You are breathing fast or hard.
- You can't say more than a few words at a time.
- Your lips or fingers are turning blue or gray.





Tips to Stick to Your Treatment Plan

Be Prepared

- Bring your quick-relief inhaler with you wherever you go.
- Keep your controller medication where you always remember to use it, like next to your toothbrush.
- Refill your inhaler so you don't run out of medicine.

Set Reminders

- Get your annual flu vaccine.
- Try to use your controller inhaler at the same time each day.
- You can use an alarm on your phone or even an app to remind you when to use your inhaler.
- Ask for support from family and friends.

Avoid Triggers

- Incorporate good handwashing to avoid viral infections.
- Ask your doctor to help you find out what you are allergic to.
- Do not allow smoking or vaping (use of electronic cigarettes) in your home.
- For FREE help in stopping smoking or vaping call I 800 QUIT NOVV (I 800 784 8669).
- Do not use air fresheners or strong-smelling cleaning chemicals.

Positive Thinking

- Make using your controller inhaler part of your regular routine, like brushing your teeth in the morning or eating breakfast.
- Remember that using your inhaler(s) correctly allows you to sleep better, go to school, and be active.







Goals of Asthma Care

When asthma is controlled:

- You have no asthma symptoms. No cough. No wheezing. No chest tightness.
- You can run and play as hard as you want to.
- You are not having daytime or nightime asthma attacks.
- You can't remember the last time you had to rush to the emergency room.



Asthma **Helpful Resources**

Texas Children's Health Plan www.texaschildrenshealthplan.org/asthma

American Academy of Pediatrics: Healthy Children www.healthychildren.org/English/health-issues/ conditions/allergies-asthma/Pages/default.aspx

Asthma and Allergy Foundation of America 800-7-ASTHMA (800-727-8462) <u>www.aafa.org</u>

"There are few restrictions on your life with asthma, as long as you take care of yourself." - lackie loyner-Kersee Olympic Gold Medalist with asthma